



TRACTORCO COMPANY INC.

SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

Dealer of Good Quality & Low Priced Farm Tractors

Where Good Service Costs Less



T-SR 1400 ROTAVATOR



TECHNICAL SPECIFICATION	T-SR-1400
Working Width (mm)	1260
Working Depth (mm)	220
Overall Width (mm)	1516
Overall Length (mm)	850
Overall Height (mm)	1100
Number of Flanges	6
Number of horizontal blades	30
Number of vertical blades	36
Machine weight with Packer Roller	390
PTO Shaft Rotation	540
Required Horse Power	45 - 50



TRACTORCO COMPANY INC.

SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

Dealer of Good Quality & Low Priced Farm Tractors

Where Good Service Costs Less



T-SR 1600 ROTAVATOR

TECHNICAL FEATURES	T-SR-1600
Working Width (mm)	1514
Working depth (mm)	220
Overall Width (mm)	1770
Overall Length (mm)	850
Overall Height (mm)	1100
Number of Flanges	7
Number of Blades	36
Number of Vertical blades	44
Machine Weights (kg)	420
P.T.O Shaft Rotation	540
Horse Power Requirements (HP)	50-55



TRACTORCO COMPANY INC.

SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

Dealer of Good Quality & Low Priced Farm Tractors



Where Good Service Costs Less

T-SR 1850 ROTAVATOR



TECHNICAL FEATURES	T-SR-1850
Working Width (mm)	1768
Working depth (mm)	220
Overall Width (mm)	2024
Overall Length (mm)	850
Overall Height (mm)	1050
Number of Flanges	8
Number of Blades	36
Number of Vertical blades	44
Machine Weights (kg)	415
P.T.O Shaft Rotation	540
Horse Power Requirements (HP)	50-55



TRACTORCO COMPANY INC.

SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

Dealer of Good Quality & Low Priced Farm Tractors

Where Good Service Costs Less



T-SR 2100 ROTAVATOR



TECHNICAL SPECIFICATION	T-SR-2100
Working Width (mm)	2022
Working Depth (mm)	220
Overall Width (mm)	2278
Overall Length (mm)	850
Overall Height (mm)	1100
Number of Flanges	9
Number of horizontal blades	48
Number of vertical blades	60
PTO Shaft Rotation	540
Machine weight (kg)	490
Required Horse Power	65-70



TRACTORCO COMPANY INC.

SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

Dealer of Good Quality & Low Priced Farm Tractors

Where Good Service Costs Less



T-SR 2400 ROTAVATOR

TECHNICAL SPECIFICATION	T-SR-2400
Working Width (mm)	2240
Working Depth (mm)	220
Overall Width (mm)	2570
Overall Length (mm)	900
Overall Height (mm)	1230
Number of Flanges	10
Number of horizontal blades	54
Number of vertical blades	68
Machine weight (kg)	760
PTO Shaft Rotation	540
Required Horse Power	70-75