

SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **NEW LS TRACTOR 105HP**



PLUS100 4WD PHP 2,242,000.00

#### **ADVANTAGES:**

- 2 Years Warranty
- 105 horse power turbo charged engine
- Fuel Efficent 7% less than leading technology
- MWM 4 cylinder engine, a German technology
- Made in Brazil- high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- Separate cylinder head for easy servicing
- 63.2 liters hydraulic flow capacity
- Heavy duty ZF front axle- proven reliability
- 20 forward & 20 reverse super shuttle gearbox
- Super creeper gearbox (runs 250meters/hour)
- 540,750 & 1000 RPM settings on PTO
- Forward & reverse shuttle lever, ideal for loading
- All-wheel braking for added safety
- Front and rear weights included



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **LS TRACTOR 105HP**



PLUS 105HP 4WD PHP 2,603,000.00

### **ADVANTAGES:**

- 2 Years Warranty
- 105 horse power turbo charged engine
- Fuel Efficent 7% less than leading technology
- MWM 4 cylinder engine, a German technology
- Made in Brazil- high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- Separate cylinder head for easy servicing
- 63.2 liters hydraulic flow capacity
- Heavy duty ZF front axle- proven reliability
- 20 forward & 20 reverse super shuttle gearbox
- Super creeper gearbox (runs 250meters/hour)
- 540,750 & 1000 RPM settings on PTO
- Forward & reverse shuttle lever, ideal for loading
- All-wheel braking for added safety
- Front and rear weights included

\*VAT is not included in the prices stated and subject to change anytime without notice.

All prices stated here are ex-works Talisay City Negros Occidental.

\*\*\*COPYRIGHT TRACTORCO COMPANY INC. 2021\*\*\*



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **LS TRACTOR 90HP**



## **PLUS 90HP 4WD** 2,061,000.00

#### **ADVANTAGES:**

- 2 Years Warranty
- 90 horse power turbo charged engine
- Fuel Efficent 7% less than leading technology
- MWM 4 cylinder engine, a German technology
- Made in Brazil-high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- Separate cylinder head for easy servicing
- 63.2 liters hydraulic flow capacity
- Heavy duty ZF front axle proven reliability
- 20 forward & 20 reverse super shuttle gearbox
- Super creeper gearbox (runs 250meters/hour)
- 540,750 & 1000 RPM settings on PTO
- Has Forward & reverse shuttle lever ideal for loading
- All-wheel braking for added safety
- Front and rear weights included

\*VAT is not included in the prices stated and subject to change anytime without notice.

All prices stated here are ex-works Talisay City Negros Occidental.

\*\*\*COPYRIGHT TRACTORCO COMPANY INC. 2021\*\*\*



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## LS TRACTOR 80HP



**PLUS 80HP 4WD** 2,025,000.00

### **ADVANTAGES:**

- 2 Years Warranty
- 80 horse power
- Fuel Efficent 7% less than leading technology
- MWM 4 cylinder engine, German technology
- Made in Brazil- high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- Separate cylinder head for easy servicing
- 63.2 liters hydraulic flow capacity
- Heavy duty ZF front axle proven reliability
- 20 forward & 20 reverse super shuttle gearbox
- Super creeper gearbox (runs 250meters/hour)
- 540,750 & 1000 RPM settings on PTO
- Forward & reverse shuttle lever ideal for loading
- All-wheel braking for added safety
- Front and rear weights included



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **NEW LS TRACTOR 65HP**



**U60 4WD** PHP 1,520,000.00

### **ADVANTAGES:**

- 2 Years warranty
- 65 horse power
- Made in Brazil high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- 55 liters hydraulic flow capacity
- Heavy duty totally sealed front axle ideal for rice paddy
- 32 forward & 16 reverse super shuttle gearbox
- Super creeper gearbox
- 540,750 & 1000 RPM settings on PTO
- Forward & reverse shuttle lever ideal for loading
- All-wheel braking for added safety
- · Front and rear weight included



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **NEW LS TRACTOR 65HP**



**R65 4WD**PHP 1,254,000.00

#### **ADVANTAGES:**

- 2 Years warranty
- 65 horse power
- Made in Brazil high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- 55 liters hydraulic flow capacity
- Heavy duty totally sealed front axle ideal for rice paddy
- 32 forward & 16 reverse super shuttle gearbox
- Super creeper gearbox
- 540,750 & 1000 RPM settings on PTO
- Forward & reverse shuttle lever ideal for loading
- All-wheel braking for added safety
- Front and rear weight included



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **NEW LS R60 4WD 60HP**



**R60 4WD**PHP 1,055,450.00

### **ADVANTAGES:**

- 2 Years warranty
- 60 horse power
- Made in Brazil high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- 47 liters hydraulic flow capacity
- Heavy duty totally sealed front axle ideal for rice paddy
- 32 forward & 16 reverse super shuttle gearbox
- Super creeper gearbox
- 540,750 & 1000 RPM settings on PTO
- Forward & reverse shuttle lever ideal for loading
- All-wheel braking for added safety
- Front and rear weight included



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **NEW LS TRACTOR 50HP**



## **R50 4WD**PHP 1,158,000.00

#### **ADVANTAGES:**

- 2 Years warranty
- 50 horse power
- Made in Brazil high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- 47 liters hydraulic flow capacity
- Heavy duty totally sealed front axle ideal for rice paddy
- 32 forward & 16 reverse super shuttle gearbox
- Super creeper gearbox
- 540,750 & 1000 RPM settings on PTO
- Forward & reverse shuttle lever ideal for loading
- All-wheel braking for added safety
- Front and rear weight included







## LS TRACTOR 105HP WITH LL7101 FRONT LOADER PHP 2,835,000.00

#### **SPECIFICATION:**

FRONT LOADER MODEL	LL7101
Maximum Lift Height (mm)	3466
Reverse Tilt Maximum Angle (degrees)	47
Reverse Tilt Angle (degrees)	50
Depth of excavation ground below level (mm)	127
Total weight of the charger (kg)	900
Nominal Flow of tractor system (I/min)	36.8/50.6
Loader Accessory width (mm)	1981
Loader Accessory capacity (cubic meter)	0.63

\*VAT is not included in the prices stated and subject to change anytime without notice.

All prices stated here are ex-works Talisay City Negros Occidental.

\*\*\*COPYRIGHT TRACTORCO COMPANY INC. 2021\*\*\*

9





## **LS TRACTOR WITH LOADER**



LS TRACTOR 65HP WITH LL5101FRONT LOADER
PHP 2,006,000.00

### **SPECIFICATION:**

FRONT LOADER MODEL	LL5101
TRACTOR MODEL	U60 R/C
Maximum Lift Height (mm)	2933
Reverse Tilt Maximum Angle (degrees)	48
Reverse Tilt Angle (degrees)	46
Depth of excavation below level (mm)	125
Total weight of the charger (kg)	580
Nominal Flow of tractor system (I/min)	40
Loader Accessory width (mm)	1828
Loader Accessory capacity (cubic meter)	0.49







## LS TRACTOR R50 WITH LL4101 FRONT LOADER PHP 1,615,000.00

#### **TECHNICAL SPECIFICATION:**

FRONT LOADER MODEL	LL4101
TRACTOR MODEL	R50
Maximum Lift Height (mm)	2440
Reverse Tilt Maximum Angle (degrees)	47
Reverse Tilt Angle (degrees)	34
Depth of excavation below level (mm)	150
Total weight of the charger (kg)	500
Nominal Flow of tractor system (I/min)	31.2
Loader Accessory width (mm)	1828
Loader Accessory capacity (cubic meter)	0.45



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



### **CATALOGUE AND PRICE LIST**

TRACTOR MODEL : MASSEY FERGUSON 699 4WD

HORSE POWER : 100 NUMBER OF CYLINDER : 6 SPECIFICATION :

13" heavy duty clutch

Power steering

Heavy duty drawbar and pick up hitch

Front tires New Rear tires New

Reconditioned and Repainted Sun canopy not included on price Front weights not included on price



PHP 1,438,745\*

TRACTOR MODEL : MASSEY FERGUSON 699 2WD

HORSE POWER : 10 NUMBER OF CYLINDER : 6 SPECIFICATION :

13" heavy duty clutch

Power steering

Heavy duty drawbar and pick up hitch

Front tires New Rear tires New

Reconditioned and Repainted



PHP 1,289,890\*

TRACTOR MODEL : MASSEY FERGUSON 399 4WD

HORSE POWER : 110 NUMBER OF CYLINDER : 6 SPECIFICATION :

13" heavy duty clutch Power steering

Heavy duty drawbar and pick up hitch

Front tire New Rear tire New

Reconditioned and Repainted

1006.6 Engine 6354 Engine



PHP 1,605,395\* PHP 1,559,844\*

\*VAT is not included in the prices stated and subject to change anytime without notice.

All prices stated here are ex-works Talisay City Negros Occidental.



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



TRACTOR MODEL : MASSEY FERGUSON 240 2WD

HORSE POWER : 45 NUMBER OF CYLINDER : 3 SPECIFICATION :

11 inches clutch
Front tires New
Rear tires New

Reconditioned and Repainted



PHP 662,156\*

TRACTOR MODEL : MASSEY FERGUSON 290 2WD

HORSE POWER : 80 NUMBER OF CYLINDER : 4 SPECIFICATION :

12" clutch Power steering

Heavy duty drawbar and pick up hitch

Front tires New Rear tires New

Reconditioned and Repainted Front weights not included on price



PHP 1,166,560\*

TRACTOR MODEL : MASSEY FERGUSON 8130 4WD

HORSE POWER : 150 NUMBER OF CYLINDER : 6 SPECIFICATION :

> Diesel engine Power steering

Heavy duty drawbar and pick up hitch

Front tires New Rear tires New Ex-farm good condition



PHP 2,055,365\*



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



TRACTOR MODEL : MASSEY FERGUSON 8160 4WD

HORSE POWER : 200 NUMBER OF CYLINDER : 6

SPECIFICATION : Diesel Engine

Power steering

Heavy duty drawbar and pick up hitch

Front tires New Rear tires New Ex-farm good condition



PHP 2,333,100\*

TRACTOR MODEL : MASSEY FERGUSON 4270 4WD

HORSE POWER : 115 NUMBER OF CYLINDER : 6

SPECIFICATION : Diesel Engine

**Power Steering** 

Heavy duty drawbar and pick up hitch

Front Tires New Rear Tires New Ex-farm good condition



PHP 1,910,920\*

TRACTOR MODEL : MASSEY FERGUSON 690 2WD

HORSE POWER : 80 NUMBER OF CYLINDER : 4

SPECIFICATION : 12" clutch

**Power Steering** 

Heavy duty drawbar and pick up hitch

Front Tires New
Rear Tires New
Reconditioned and Repainted

Sun canopy not included on price Front weights not included on price



PHP 1,199,890\*



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



TRACTOR MODEL : MASSEY FERGUSON 690 4WD

HORSE POWER : 80 NUMBER OF CYLINDER : 4

SPECIFICATION : 12" clutch

**Power Steering** 

Heavy duty drawbar and pick up hitch

Front Tires New
Rear Tires New
Reconditioned and Repainted

Sun canopy no cab



PHP 1,333,200\*

TRACTOR MODEL : MASSEY FERGUSON 390 4WD

HORSE POWER : 86
NUMBER OF CYLINDER : 4

SPECIFICATION : 12" clutch

**Power Steering** 

Heavy duty drawbar and pick up hitch

Front Tires New Rear Tires New

**Reconditioned and Repainted** 



PHP 1,438,745\*

TRACTOR MODEL : MASSEY FERGUSON 698 2WD

HORSE POWER : 90 NUMBER OF CYLINDER: 4

SPECIFICATION : 12" clutch

Power Steering

Heavy duty drawbar and pick up hitch

Front Tires New
Rear Tires New
Reconditioned and Repainted

No Cabin

PHP 1,224,900\*



NEGROS OCCIDENTAL



TRACTOR MODEL : FORD 3000 2WD

HORSE POWER : 47 NUMBER OF CYLINDER: 3 **SPECIFICATION** 

> 11" dual clutch Front tires New Rear tires New

Reconditioned and Repainted



PHP 655,490\*

TRACTOR MODEL : FORD 6710 4WD

HORSE POWER : 86 NUMBER OF CYLINDER: 4 **SPECIFICATION** 

> 12" clutch Power steering Front tires New Rear tires New

Reconditioned and Repainted



PHP 1,099,890\*

TRACTOR MODEL : FORD 6610 2WD

HORSE POWER :86 NUMBER OF CYLINDER: 4 **SPECIFICATION** 

> 12" clutch Power steering Front tires New Rear tires New

Reconditioned and Repainted



PHP 1,199,890\*



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



TRACTOR MODEL : FORD 7610 4WD

HORSE POWER : 103 NUMBER OF CYLINDER : 4 SPECIFICATION :

12" clutch
Power steering
Front tires New
Rear tires New

Reconditioned and Repainted

Front weights not included on price



PHP 1,349,865\*

TRACTOR MODEL : FORD 7710 4WD

HORSE POWER : 103 NUMBER OF CYLINDER : 4 SPECIFICATION :

> Power steering Front tires New Rear tires New

Reconditioned and Repainted

Front weights not included on price



PHP 1,349,865\*

TRACTOR MODEL : FORD 7910 4WD Series II

HORSE POWER : 103 NUMBER OF CYLINDER : 6 SPECIFICATION :

> Power steering Front tires New Rear tires New

Reconditioned and Repainted




PHP 1,460,965\*



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



HORSE POWER : 110 NUMBER OF CYLINDER : 6 SPECIFICATION :

13" clutch
Power steering
Front tires New
Rear tires New

Reconditioned and Repainted

Front weights not included on price



PHP 1,405,415\*

TRACTOR MODEL : FORD TW25 4WD

HORSE POWER : 153 NUMBER OF CYLINDER : 6 SPECIFICATION :

14" clutch
Power steering
Front tires New
Rear tires New

Reconditioned and Repainted Front weights not included on price



PHP 1,566,510\*

TRACTOR MODEL : FORD TW10 4WD

HORSE POWER : 110 NUMBER OF CYLINDER : 6 SPECIFICATION :

13" clutch
Power steering
Front tires New
Rear tires New

Reconditioned and Repainted



PHP 1,349,865\*



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



TRACTOR MODEL : <u>JOHN DEERE 2130 2WD</u>

HORSE POWER : 75 NUMBER OF CYLINDER : 4

SPECIFICATION : Front tires New

Rear tires New

Reconditioned and Repainted



PHP 611,050\*

TRACTOR MODEL : **JOHN DEERE 2130 2WD** 

**WITH LOADER** 

HORSE POWER : 75 NUMBER OF CYLINDER : 4

SPECIFICATION : Front tires New

Rear tires New

Reconditioned and Repainted



PHP 774,367\*

TRACTOR MODEL : **JOHN DEERE 3130 2WD** 

HORSE POWER : 100 NUMBER OF CYLINDER : 6

SPECIFICATION : Front tires New

Rear tires New

Reconditioned and Repainted



PHP 988,790\*



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



TRACTOR MODEL : **JOHN DEERE 3140 4WD** 

HORSE POWER : 100 NUMBER OF CYLINDER : 6

SPECIFICATION : Front tires New

Rear tires New

Reconditioned and Repainted

Open cab no air con



PHP 1,494,295\*

TRACTOR MODEL : **JOHN DEERE 4040S 4WD** 

HORSE POWER : 115 NUMBER OF CYLINDER : 6

SPECIFICATION : Front tires New

Rear tires New

Reconditioned and Repainted

Open cab no air con



PHP 1,555,400\*

TRACTOR MODEL : **JOHN DEERE 4040 2WD** 

HORSE POWER : 110 NUMBER OF CYLINDER : 6

SPECIFICATION : Front tires New

Rear tires New

Reconditioned and Repainted

Open cab no air con



PHP 1,340,000



## **ROUND OR SQUARE BALER FOR SILAGE AND HAY OR CANE / RICE TRASH**



**ROUND BALER (USED) PHP 987,679\*** 



**SQUARE BALER (USED) PHP729,927\*** 



### FIMAKS SINGLE CHOP FORAGE HARVESTER







RF152 SINGLE CHOP FORAGE HARVESTER PHP 555,500\*

#### **SPECIFICATION:**

MODEL	RF132	RF152
Cut size (mm)	140	140
Length – Road Position (m)	4.5	4.5
Length-Work Position (m)	2.5	2.5
Height (m)	3.15	3.6
Width (m)	1.45	1.9
Weight (kg)	500	580
Power Requirements (hp)	45hp	65hp
PTO (rpm)	540 rpm	540 rpm
Number of Knives	21	24
Capacity	16 tons / hour	20 tons / hour



### FIMAKS DOUBLE CHOP FORAGE HARVESTER



FIMAKS DOUBLE CHOP FORAGE HARVESTER FROM PHP 861,025.00\*

### **SPECIFICATION:**

MODEL	DOUBLE CHOP
Cut size (mm)	70
Length – Road Position (m)	4.5
Length-Work Position (m)	2.5
Height (m)	3
Width (m)	2.5
Weight (kg)	800
Power Requirements (hp)	65hp
PTO (rpm)	540 rpm
Capacity	20 tons / hour



TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



## **FIMAKS DIET MIXER FEEDER**











### **FIMAKS DIET MIXER FEEDER**

### **SPECIFICATION:**

MODEL	FMV1.8S	FMV2.5S	FMV3S	FMV5S	FMV8S	FMV12S	FM 16F	FM 20F
PRICE	677,710.00		908,798.00	1,287,750.00	1,802,850.00	2,067,470.00	2,927,990.00	
Volume	1.5m³	2.5 m <sup>3</sup>	3m³	5m³	8m³	12m³	16m³	20m³
Length (mm)	1800mm	4000mm	3850mm	3950mm	4150mm	4800mm	6800mm	7680mm
Height (m)	1500mm	1795mm	2100mm	2400mm	2900mm	2850mm	2850mm	2950mm
Width (mm)	1650mm	1680mm	1650mm	2050mm	2400mm	2400mm	2300mm	2300mm
Maximum Load	840kg	1200kg	1700kg	2000kg	3200kg	4800kg	6000kg	7000kg
Capacity (kg)								
Power								
Requirements	65 HP	65 HP	65 HP	80 HP	90 HP	100 HP	120 HP	150 HP



## FIMAKS MANURE / MUDPRESS SPREADER



### **SPECIFICATION:**

MODEL	FMGR3	FMGR5	FMGR 10
PRICE	PHP 1,066,560*	PHP 1,164,000*	PHP 1,841,000
Loading Capacity (m³)	4m³	5m³	10m³
Length (m)	5.50	5.5	7.07
Height (m)	1.80	2.40	2.96
Width (m)	2.10	2.10	2.55
Weight (kg)	1400	2500	4100
PTO RPM	540 rpm	540 rpm	1,000 rpm
Power Requirement (hp)	60hp	80hp	100hp



### FIMAKS SLURRY TANKER/MANURE SPREADER



## FIMAKS SLURRY TANKER/MANURE SPREADER

### **SPECIFICATION:**

MODEL	FST 6000	FST 8000	FST 10000 ECO
Price	1,505,405.00		2,180,590.00
Volume (liter)	6000	8000	10000
Length (mm)	5280	6400	7600
Width (mm)	1890	2750	2750
Height (mm)	2480	2850	2850
Needed Power (kw/hp)	50/70	60/80	70/90
Weight (kg)	2000	3100	3875



TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



## **FIMAKS COW BRUSH**



PHP 95,950.00\*

## **SPECIFICATION:**

Number of Brush	1	
Brush Diameter	Ø400 mm	
Brush length	650 mm	
Motor Capacity	0,18 kW	
Sensor	Motion sensitive (inductive sensor)	
Brush reductor output	31 rpm/mn , Between 220-240 V operating	
Control unit of brush	Motion sensitive (inductive sensor)	



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier





JF 30P FORAGE CHOPPERS with motor PHP 107,767



JF 30 EVO FORAGE CHOPPERS with motor PHP 142,208\*



JF 40P FORAGE CHOPPERS WITHOUT MOTOR PHP 113,322\*



JF 30VO FORAGE CHOPPER WITHOUT MOTOR PHP 117,160\*

TECHNICAL FEATURES	FORAGE CHOPPER JF 30P	FORAGE CHOPPER JF 40P	FORAGE CHOPPER JF 30 EVO	FORAGE CHOPPER JF 30 EVO
Productivity**	500 to 2000 kg/h	2000 to 7000 kg/h	1500 to 5000 kg/h	1500 to 5000 kg/h
Cut Sizes	11mm	11mm	4mm or 8mm	4mm or 8mm
Number of Blades	2	3	3	3
Required Electric Motor	2 to 5 hp	7.5 to 10 hp	3hp	3hp
Power				
Versions	Base for Electric Motor	Base for Electric Motor	Base for Electric	Base for Diesel
			Motor	Engine

# SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL TEL NO: (163) 34 495-2288 / 0928-503

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



### **JF STATIONARY FORAGE CHOPPERS**





PRICE : JF 40 MAXXIUM ELECTRIC WITH BASE FOR ELECTRIC : PHP 207,757\*

PHP 207,757\* PHP 228,866\*

JF 60 MAXXIUM PHP 317,746\*

MOTOR OR ENGINE

WITH PTO FOR TRACTOR : -----

PHP 383,295\*

JF 50 MAXXIUM

PHP 427,735\*

#### **SPECIFICATION:**

TECHNICAL FEATURES	JF 40 MAXXIUM	JF 50 MAXXIUM	JF 60 MAXXIUM
Productivity	2000 to 7000 kg/h	2000 to 8000 kg/h	5000 to 16500 kg/h
Cut Sizes	5mm or 13mm	5mm or 13mm	5mm or 13mm
Number of Blades	4	4	4
Required Electric Motor Power	15hp	22 hp	40 hp
Versions	<ul> <li>Base for Electric Motor</li> <li>Base for Diesel Engine</li> </ul>	<ul> <li>Base for Electric Motor</li> <li>Base for Diesel Engine</li> <li>Attached 3-Point Linkage of tractor</li> <li>Pull Type with Wheels for Tractors</li> <li>Mounted on a trailer</li> </ul>	<ul> <li>Base for Electric         Motor</li> <li>Base for Diesel         Engine</li> <li>Attached 3-Point         Linkage of tractor</li> <li>Pull Type with         Wheels for Tractors</li> <li>Mounted on a trailer</li> </ul>



## **JFC120 STATIONARY FORAGE CHOPPER**



PHP 554,389.00\*\*

TECHNICAL SPECIFICATION	JFC120 STATIONARY FORAGE CHOPPER
Capacity	up to 30 ton/h*
Cut sizes	24 chopping size range from 2 to 36 mm
Number of blades	12
Number of rotor	1
Power source	tractor PTO
Recommended power at PTO	50 to 80 hp
Required revolution at PTO	540
Transmission system	PTO & gearbox



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



## JF STATIONARY FODDER PROCESSORS / HAMMER MILLS



**PRICE** JF 1D JF 2D JF 5D JF15D JF10D WITH MOTOR 69,993\* 114,433\* 228,866\* WITH MOTOR & CYCLONE 252,192\* WITH ENGINE BASE & CYLONE 246,539.99\* 332,086.99\* WITH PTO FOR TRACTOR & CYCLONE : 305,525\* 417,633.99\* WITH ENGINE BASE W/O CYCLONE 292,303.00 **SPECIFICATIONS:** 

	JF 1D	JF 2D	JF 5D	JF 10D	JF 15D
<b>TECHNICAL FEATURES</b>	Productivity	Productivity	Productivity	Productivity	Productivity
	(kg/hr)**	(kg/hr)**	(kg/hr)**	(kg/hr)**	(kg/hr)**
Maize Grain					
0,8 mm		50 to 65	100 to 150	150 to 200	Up to 230
3mm	Up to 100	250 to 350	550 to 700	750 to 950	Up to 1070
5mm	Up to 180	400 to 750	600 to 850	850 to 1150	Up to 1290
Cob					
5mm		150 to 250	300 to 450	300 to 550	Up to 620
10mm		250 to 350	500 to 700	700 to 850	Up to 950
Green Fodder					
Flat Bottom	Up to 800	350 to 850	2000 to 3000	3000 to 4000	Up to 4480
Required Electric Motor Power	1.6 (directly connected to the rotor)	2 to 3hp	7.5 to 10hp	10 to 15hp	Up to 20hp
Number of Blades	2	2	2	2	2
Number of Moving Hammers		6	16	20	24
Versions	<ul><li>Base for</li></ul>	<ul><li>Base for</li></ul>	<ul><li>Base for</li></ul>	• 3 point	3 point
	electric	electric	electric	linkage for	linkage for
	motor	motor	motor	tractor	tractor



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



### **JF HAMMER MILLS**



JF 80 Hammer Mill with 3-Point Linkage PTO Driven SIEVES NOT INCLUDED PHP 471,064\*



JF 80 Hammer Mill without motor with base for electric motor SIEVES NOT INCLUDED PHP 354,409\*

#### **SPECIFICATION:**

TECHNICAL FEATURES				
Sieves	Productivity (kg/hr)	Productivity (kg/hr)	Productivity (kg/hr)	
	Green Maize Grain	Dry Maize Grain	Dry Corn Cob	
Sieve 18mm	9500	10000	8000	
Sieve 14mm	8000	9000	5000	
Sieve 10mm	5000	7500	3500	
Sieve 8mm	3500	5000	2000	
Sieve 5mm	-	3000	1000	
Sieve 3mm	-	2000	700	
Flat bottom	1500	-	-	
Required Electric Motor Power		30 to 50 hp		
Power Source	Tractor PTO or Electric Motor			
Revolution of Rotor	1800 to 2000 rpm			
Number of Hammers in the		48		
Rotor				
Weight	320kg			
Version	3 Pt Linkage PTO Driven			
Version	Engine/Electric Driven			



### JF PRECISION FORAGE HARVESTERS





FROM PHP 903,243\*

JF C120PRECISION FORAGE HARVESTER (BELT) JF C120 PRECISION FORAGE HARVESTER (Gearbox) FROM PHP 958,793\*

### **SPECIFICATION:**

	JF C120		
MODEL	BELT	GEARBOX WITH	
	DELI	RACHET SYSTEMS	
Capacity	Up to 28 ton/h	Up to 30 ton/h	
Chop Sizes	24 (2-36mm)	24 (2-36mm)	
Number of Rotor	1	1	
Number of Rotor Blades	12	12	
Number of Gathering Drums	4	4	
Power Source	Tractor PTO	Tractor PTO	
Recommended Power at PTO	50-80hp	50-80hp	
Required Revolution at PTO	540	540	
Transmission System	Belt & Pulley	PTO	
Weight	600kg	615kg	



### **JF PRECISION FORAGE HARVESTERS**



## JF C120 WITH JF1000AT ROW INDEPENDENT FORAGE HARVESTER PRICE 1,363,209.00\*

#### **TECHNICAL SPECIFICATION:**

Capacity	Up to 35 tons/h for forage and 15 tons/h for biomass	
Chop Sizes	24 chopping size range from 2-36mm	
Number of rotor	1	
Number of rotor blades	12	
Number of gathering drum	4	
Working width	0.92 meter	
Power Source	Tractor PTO	
Recommended Power at PTO	80HP for corn and 100HP for napier	
Required Revolution at PTO	540	
Transmission System	PTO & Gearbox	
Weight	800kg	
Kernel Processor System +Pro	Increase quality of the kernel sizes for a	
	better quality of milk and beef production	

<sup>\*</sup>VAT is not included in the prices stated and subject to change anytime without notice.

All prices stated here are ex-works Talisay City Negros Occidental.

\*\*\*COPYRIGHT TRACTORCO COMPANY INC. 2021\*\*\*



The Philippines' Leading Farm Machinery Supplier



### **ROW INDEPENDENT PRECISION FORAGE HARVESTER**



**ROW INDEPENDENT PRECISION FORAGE HARVESTER FOR CORN AND NAPIER** JF 1600 AT FROM PHP 2,440,867\*

### **SPECIFICATION:**

TECHNICAL FEATURES	JF 1600 AT	
Capacity	Up to 50 tons/h for forage and 25 tons/h for biomass	
Chop Sizes	24 chopping size range from 2 – 36mm	
Number of Rotor	1	
Number of frontal Drums	2	
Number of Rotor Blades	15	
Number of Disc Saws	2	
Number of Rear Drums	4	
Power Source	By Tractor	
Recommended Power at PTO	100HP for corn – 150HP for napier	
Required Revolution at PTO	540	
Transmission System	Gear Box & PTO Shaft	
Weight	2400kg	



## JF SIDE DELIVERY FEEDER WAGON



JF 9000 FEEDER WAGON

### **SPECIFICATION:**

	JF FEEDER WAGON		
MODEL	JF5000	JF9000	
PRICE		1,771,000.00	
Weight (empty)	1550kg.	2100kg	
Front discharge capacity		2.5/min	
Back discharge capacity	2.5min	2min	
Height		2850mm	
Height with doser	2.34-2.53m		
Height of discharge spout	73.0-90.0mm	750mm	
Length	5900mm	6680mm	
Required Power	80 HP	90 HP	
Tires	10.5x15x8	11L-15-8	
Volume	5m3	9m3	
Wheel Base	1900mm	2000mm	
Width	2000-2450mm	2500mm	



## **JF PRISMA 5000 BALER**

The Philippines' Leading Farm Machinery Supplier



JF PRISMA 5000 SQUARE BALER FROM PHP 1,649,835\*

#### **SPECIFICATION:**

TECHNICAL FEATURES	PRISMA 5000	
Pick-up width	1.73m	
Plunger Speed	100 strokes / min	
Weight (without lifting tray)	1.460 kg	
Average productivity	400-600 bales/h	
Minimum recommended power at PTO	80 HP	
Recommended revolution at PTO	540 rpm	
Knotter technology (Germany)	Automatic	
Twine box capacity	8 balls	
Cross section of bale	36 x 46 x cm	
Bale length	50 to 130 cm	
Pick-up transmission	gearbox / PTO	
Plunger transmission	gearbox / PTO	
Knotter transmission	gears	
Feeder fork transmission	gears	



The Philippines' Leading Farm Machinery Supplier



## **JF SPIN 3000**



## JF COMBO SPIN 3000 RAKE/TEDDER PHP 464,953.50\*

#### **SPECIFICATION:**

MODEL	DIMENSION
Capacity	3ha/h
Working width	3000mm
Width for single windrow	3000mm
Width for double windrow	6000mm (3 turns)
Width for transport	2800mm
Weight	300kg
Recommended revolution at PTO	350rpm to 540rpm
3-Point Linkag	e
Tires	15 x 6-6 A PR
Required Power	35 HP



The Philippines' Leading Farm Machinery Supplier





JF HELIX FERTILIZER SPREADER

#### SPECIFICATION:

TECHNICAL FEATURES	JF HELIX 400	JF HELIX 600
Price	128,876.00	139,986.00
PTO Rotate	540 rpm	540 rpm
Power to Drive PTO	from 30hp	from 50hp
Load Capacity	400 liters	600 liters
Working Width	9 – 16 m	9 – 16 m
Weight	82kg	93kg
Length	1350mm	1350mm
Width	1250mm	1250mm
Height	1250mm	1250mm
Production	721 kg/ha	721 kg/ha



## **JF SILO MASTER FORAGE BAGGER**



## JF SILO MASTER SILAGE BAGGER PHP 1,421,070\*

#### **SPECIFICATION:**

Bag	6 feet	
Productivity	Up to 25ton/h continuous flow	
Height (working position)	2035 mm	
Power source	tractor PTO	
Required power at PTO	45 hp	
Required revolution at PTO	540 RPM	
Wheels	215 80 x 16	
Width (transport position)	2680 mm	
Width (working position)	3235 mm	
Machine weight (kg)	1210kg.	



## **SILAGE BAGGER MACHINE**



PHP 212,100.00\*

TECHNICAL SPECIFICATION	Gasoline Engine	Electric Motor	
Capacity	4500kg/hr.	2500kg/hr.	
Power Requirement	gasoline motor 6.5hp	2hp	
Suitable for bagging and composting silage			
Bag Capacity 25-30 kg. per bag 25-30 kg. per ba		25-30 kg. per bag	
Bag size 510mm x 1100mm		510mm x 1100mm	
Versions	Base for Gasoline motor	Base for Electric motor	



## **FLEMING SILAGE TIP TRAILER**



PHP 730,230.00

#### **TECHNICAL SPECIFICATION:**

Capacity	6 tonner	
Volume	8.3m3	
Side Height	560mm	
Floor Thickness	4mm	
Body Length	3.76m	
Width	2.15m	
Loading Height	1m	
Lights	Yes	
Brakes	Yes	
Unladen Weight	1464kg	
Tire size	12.5 x 80 x 15.3	
Power Requirements	70 HP	



NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045 The Philippines' Leading Farm Machinery Supplier



## **CORN SHELLERS**



**PRICE COMBINE 700GE COMBINE 500 COMBINE 700 : COMBINE 200** WITH BASELECTRIC MOTOR/ENGINE: PHP 292,193\* PHP 394,405\* PHP 427,735\* PHP 483,285\* WITH PTO FOR TRACTOR PHP 433,290\* PHP 527,422\*

#### SPECIFICATION:

MODEL	COMBINE 200	COMBINE 500	COMBINE 700	COMBINE 700GE
Width	1200mm	1200mm	1560mm	1000mm
Height	1520mm	1520mm	1520mm	3150mm
Length	1200mm	1200mm	740mm	1600mm
PTO driven	-	-	4200kg/h	6000kg/h
Electric Motor	2100kg/h	3600kg/h	4200kg/h	Up to 6000kg/h
Diesel Engine	2100kg/h	3600kg/h	6000kg/h	Up to 6000kg/h
Rotor RPM	1500 to 1700 rpm	900 to 1700rpm	900 to 1100rpm	1100rpm
Required Power	7.5hp (engine)	12hp (engine)	20hp (pto driven)	20hp (pto driven)



TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier

## **CORN HARVESTERS**



COMBINE 800 WHOLE COB CORN HARVESTER PHP 1,546,512\*



COMBINE 361BR
WHOLE GRAIN CORN HARVESTER
1 ROW WITH ADVANCED FRONT
FEEDER UNIT
PHP 1,757,602\*

COMBINE 360G WHOLE GRAIN CORN HARVESTERS-1 ROW PHP 1,538,735\*

#### **SPECIFICATION:**

MODEL	COMBINE 800	COMBINE 360G	COMBINE 361BR
Production Capacity	Up to 2240kg	25-30bags/h	40-50 bags/h
Cutting height	300-600mm	300-600mm	250-800mm
Pick-up nozzle width	570mm	530mm	530mm
Length	6150mm	5100mm	5400mm
Width	3180mm	2340mm	2700mm
Height	3260mm	2750mm	2750mm
Required power	60hp	75hp	65-80hp
Rotor Rotation	180-200rpm	800-1000rpm	-
PTO rotation	540rpm	540rpm	540rpm
Operating Speed	2-4km/hr	4-5km/hr	5-10km/h
Unloader speed	28kg/min	-	1min
Weight	1000kg	-	730L

<sup>\*</sup>VAT is not included in the prices stated and subject to change anytime without notice.

All prices stated here are ex-works Talisay City Negros Occidental.

\*\*\*COPYRIGHT TRACTORCO COMPANY INC. 2021\*\*\*





## **SPECIFICATION:**

TECHNICAL FEATURES			
RPM-Machine shaft	2200-2500		
Gasoline/Diesel Motor	10-15hp		
Electric Motor	07-10cv		
Minimum power required	40cv		
PRODUCTION-KG/HOUR			
Forage (Sugar cane)	2500kg/h		
Forage (Corn)	1500kg/h		
Corn grits	450kg/h		
Coarse cornmeal	300kg/h		
Fine cornmeal	90kg/h		
Sheller	900kg/h		
TOTAL DIMENSIONS			
Width	1000mm		
Length	1060mm		
Height	1650mm		

\*VAT is not included in the prices stated and subject to change anytime without notice.

All prices stated here are ex-works Talisay City Negros Occidental.



## **CORN AND BEAN HARVESTER**

#### **FEATURES**

- Produce very clean grains
- Two options (bagging/grain bin)
- For high productivity 30-35bags/h
- Easy calibration
- Low maintenance cost
- Can be used as stationary high output Corn shelling machine
- Dual use for Corn and Bean



## **COLOMBO RCM-11**

## WHOLE GRAIN CORN HARVESTER PHP 1,559,844.00\*

#### **SPECIFICATION:**

DIMENSION	BEANS-	CORN-	CORN-grain
	bagging	bagging	bin
Length	3.3m	3.3m	4.4m
Height	2.5m	2.5m	2.6m
Width	300-500mm	300-500mm	300-550mm
Weight	2600mm	2600mm	2735mm
Storage bin capacity			350kg
Cutting height	1020kg	1020kg	1200kg
Required power	80-100 HP	80-100 HP	80-100 HP
Rotation of the threshing	540rpm	540rpm	540rpm
cylinder			
Hydraulic system	1	1	1



## **MILKING MACHINE**



## **INCOMAGRI MILKING MACHINE**

1 Cluster - PHP 157,762.00 2 Cluster - PHP 196,759.00

#### SPECIFICATION:

- Speed and the hygiene in the milking process
- Easy handling
- Stainless steel lid cover
- 350cc collector, 18mm output
- Stainless steel liner washer, cleans and disinfects the set of liners
- Spring vacuum regulator
- 22011/min vacuum pump for 1.0 hp motor
- 3501/min vacuum pump for 1.5 hp motor



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier





## **INCOMAGRI FEED MIXER**

- Feed Mixer application is to mix products in preparation of feed for the daily keeping.
- Durable and efficient
- Easy to operate, it ensures a perfect mixture in 15 minutes.
- Operated by stationary motor.
- It mixes different kinds of dry products such as sorghum, ground corn, soybean meal, wheat, cotton and rice.

SPECIFICATION:				
MODEL	MIN P300	MIN P500	MIN P500 (wet grain)	MIN P1000
PRICE	167,761.00	177,760.00	257,752.00	214,423.00
Productivity (kg/15 min)	300	500	500	1000
Spindle speed (rpm)	485	485	485	485
Weight (kg)	105	135	155	180
Height (mm)	2320	2320	2320	2980
Width (mm)	1040	1315	1315	1365
Belts	B-67	B-78	B-78 ( 2 belts )	B-78
Belts (Upper)	B- 90	B- 97	B- 97 (2 belts)	B- 97
Required motor	1.5 – 2hp	2-3hp	5hp	3-5hp





## **INCOMAGRI SPRAYER**



#### **SPECIFICATION:**

MODEL	ATTACK 400	ATTACK 600
PRICE	366,630.00	392,183.00
Capacity	400 liters	600 liters
Weight	220kg	450kg
PTO Speed	540 RPM	540 RPM
Capacity of the Pump	84.6 liters	85 liters
Maximum Pressure	20 bars	20 bars
Required Horsepower	60 HP	80 HP





## **CASSAVA PLANTER AND HARVESTERS**



## SPECIFICATION:

Number of Rows	2
Yield per day	5-7 hectares
Row Spacing (mm)	800-900
Fertilizer Capacity	223liters/250kg
Working Width (mm)	2700mm
Tires	6.50 x 16 (60psi)
Tractor Power	60hp
Requirement	

CASSAVA PLANTER DOUBLE ROW PHP 595,496\*



CASSAVA HARVESTER PHP 299,970\*

### **SPECIFICATION:**

TECHNICAL	CASSAVA HARVESTER		
FEATURES			
Weight	340kg		
Required power	80hp		
Average yield/day	3-4ha		



## **WOOD CHIPPERS**



#### **FEATURES:**

- It can chip 4 inches diameter of wood
- Powered by a tractor at least 60 horsepower with PTO at 540 rpm
- It has hydraulic feeder which feeds logs smoothly to low the power requirements and to prolong the life of blades

PHP 395,920.00



PHP 252,500.00

#### **FEATURES:**

- It can chip 8 inches diameter of wood
- Powered by a tractor at least 80 horsepower with PTO at 540 rpm
- It has hydraulic feeder which feeds logs smoothly to low the power requirements and to prolong the life of blades



## **MINIROTO ROUND BALER**



M50 MINIROTO ROUND BALER FROM PHP 505,505\*

#### **SPECIFICATION:**

TECHNICAL SPECIFICATION	In English
Bale Size	in Ø 19.7 x 27.5
Bale Weight (Hay)	40 – 55 lb
Pick-up Width	133.4in
Required Power	35 hp
Dim: width x length x height	51.2 x 59 x 51.2 in
Dim.: (side drawbar) width x length x height	57.8 x 70.8 x 51.2 in
Weight	844 lb
Weight (side drawbar)	1089 lb



TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier





## FROM 1,340,547.46 - 1,734,000.00

## **FEATURES**

Manual operation is always available if the computer fails.

The reel can turn 360 degrees

High strength structure, heat galvanized and protected for maximum protection.

With a 4 or 6 speed gearbox, without pulleys or belts, it offers lower power consumption, a faster hose winding speed and more operator safety.

With Easy Rain 3, you can programme and control the winding speed of the hose during the entire irrigation cycle.

It allows adjustment of the hose in the central position, lateral (on the wheel or intermediate position adapting it to the need of the crop to be irrigated.

CDECIFICATION

After sales support of TRACTORCO

SPECIFICATION				
MODEL C 90-300				
PRICE	1,572,463.16			
HOSE REEL IRRIGATION	C 90			
PE Hose diameter	90mm			
PE Hose maximum length	300m			
Flow (min/max)	30 / 54m³/h			
Inlet pressure (min/max)	5.0 bar / 10.0 bar			
System Capacity	34 ha			



NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045 The Philippines' Leading Farm Machinery Supplier



## **EYS SEPARATOR**



#### **TECHNICAL SPECIFICATION:**

MODEL	SP400	SP600
PRICE	1,000,685.17	1,401,974.27
Length mm	1450	1850
Width mm	700	1000
Height mm	950	1100
Weight kg	400	620
Power kW	2.2	5.5
Auger	Stainless Steel Auger with special hard	Stainless Steel Auger with special
	coating	hard coating
Screen	Specially reinforced standard and HD	Specially reinforced standard and
	screens 0.3mm-1.00mm with slot-	HD screens 0.3mm-1.00mm with
	width options	slot-width options
Motor power	2.5 kW	5.5 kW
Gearbox RPM	26.6	33
Screen Mesh	0.3-1mm	0.5mm
Throughput (cattle	Up to 15 cubic meter/h	Up to 50 cubic meter/h
slurry)		
Dry Matter Ratio	Up to 30%	Up to 35%
Maximum Livestock	150	1000





## **EYS MIX-PUMP**



FROM PHP 651,668.57\*

#### **FEATURES:**

- Modular concept for a variety of sizes and options with minimum inventory
- Unique design for easy maintenance
- Abrasion resistant special alloy propeller and cutter blades
- Maximum agitation with the optional discharge nozzle
- Remote oil lines to the gearbox and bearings for easy access
- Wide range for depths from 2meter to 5meter, with 7.5kw motor
- A combined mixer and pump to do two jobs in one machine minimising investment and maximising versatility
- Uses a standard electric motor with simple V belt drive for simple fast easy maintenance



#### **ASTWELL MANURE SCRAPER**



## ASTWELL MANURE SCRAPER PHP 146,450.00\*

#### **SPECIFICATION:**

- The Yard Scraper uses a moulded rubber blade.
- "A" Frame and pins provide adjustable working width from 1.68m to 2.29m approx.
- It also has a capacity of 0.5m³or 240kg.
- Pull a cord and the blade flips over and reverses so you can scrape slurry forwards or backwards in both directions



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



## STORTH SLURRY STORAGE SYSTEM ABOVE GROUND TANK



#### **SPECIFICATION:**

TECHNICAL FEATURES								
	2 RING	GS (height:	2.8m)	3 RINGS (height 4.2			4.27m)	
MODEL	7609	10609	13209	6214	8714	10414	12014	13414
Expanded Diameter (mt)	23.03	32.42	40.09	18.27	26.45	31.56	36.68	40.95
Base Area (M2)	417	826	1263	277	549	783	1057	1317
Sheets Ring	27	38	47	22	31	37	43	48
Gross Capacity (M3)	1196	2370	3625	1182	2346	3342	4514	5625
Gross Capacity (gallons)	263,083	521,237	797,388	260,003	516,047	735,136	992,940	1,237,326
Net Capacity (M3)	1008	1,997	3055	1056	2,096	2987	4034	5027
Net Capacity (gallons)	221,729	439,278	672,005	232,287	461,055	657,047	887,355	1,105,784
TECHNICAL FEATURES			4 RI	NGS			5 F	RINGS
		(height:5.67m)			(height: 7.07m)			
MODEL	5319	7319	9019	10419	11519	12619	4824	6424
Expanded Diameter (mt)	16.21	22.18	27.3	31.56	34.98	38.39	14.5	19.62
Base Area (M2)	206	387	586	783	961	1158	165	302
Sheets Ring	19	26	32	37	41	45	17	23
Gross Capacity (M3)	1170	2192	3320	4438	5450	6565	1168	2139
Gross Capacity (gallons)	257,364	482,172	730,297	976,222	1,198,831	1,444,096	256,924	470,514
Net Capacity (M3)	1076	2015	3052	4080	5010	6035	1092	1999
Net Capacity (gallons)	236,687	443,238	671,345	897,474	1,102,045	1,327,513	240,206	439,718
<b>TECHNICAL FEATURES</b>				5 RINGS (h	eight: 7.07ı	m)		
MODEL	7824	9224	10424	11224	12024			
Expanded Diameter (mt)	23.89	28.15	31.56	34.12	36.68			
Base Area (M2)	448	623	783	915	1057			
Sheets Ring	28	33	37	40	43			
Gross Capacity (M3)	3169	4402	5534	6468	7475			
Gross Capacity (gallons)	697,082	968,304	1,217,308	1,422,759	1,644,268			
Net Capacity (M3)	2962	4115	5173	6046	6987			
Net Capacity (gallons)	651,548	905,172	1,137,900	1,329,933	1,536,923			

\*VAT is not included in the prices stated and subject to change anytime without notice. All prices stated here are ex-works Talisay City Negros Occidental.



# TRACTORCO COMPANY INC

SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## CABINAS SHEEP SCALE



# CABINAS SHEEP SCALE PHP 240,885.00\*

## **FEATURES:**

- Dimension: 60x120x100cm
- Steel chassis, aluminium side walls
- 4 units IP 68 steel load cell
- LCD Monitor
- Smart dynamic weighing scale to compensate for animal movements during weighing process
- International standard sensitivity
- Mobile by tyres
- Side opening doors for herd selection

- Weighing range from 0 to 1500 kilos in 0.5 increments
- Options to use grams, kilograms, ounces and pounds
- Laptop or Computer module (RS 202)
- Automatic zeroing to read true weight of the sheep
- 90 hours operation capability by battery
- Low frame for easy entry of the sheep
- Entrance Exit doors with switch system



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **CABINAS CATTLE SCALE**



CABINAS CATTLE SCALE PHP 280,780.00\*

## **FEATURES:**

- Dimension 90x230x200cm
- Steel frame with maximum design strength of 1400 kg of load
- 4 units IP 68 steel load cell
- LCD Monitor
- Smart dynamic weighing scale to compensate for the animal moving during weighing process
- International standard sensitivity
- Can be fitted to a tractor for easy transportation using 3 point linkage

- Weighing range from 0 to 1500kilo with 0.5 kg increments
- Options to use grams, kilograms, ounces and pounds
- Laptop or Computer module (RS 202)
- Automatic zeroing to read true weight of the cow
- 90 hours operation capability by battery
- Low frame for easy entry of the cow
- Entrance Exit doors with switch system
- Anti-slip rubber floor mat



# TRACTORCO COMPANY INC

SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## CABINAS HYDRAULIC CRUSH CATTLE SCALE



# CABINAS HYDRAULIC CATTLE CRUSH SCALE PHP 1,174,630.00\*

#### **FEATURES:**

- Dimension: 100x250x220cm
- Steel frame with maximum design strength of 1400 kg per load
- 4 units IP 68 steel load cell
- LCD Monitor
- Smart dynamic weighing scale to compensate for animal movements during weighing process
- International standard sensitivity
- Chest holding hydraulic
- Rear standing spindle
- Emergency release feature
- Special point to allow vaccination into the cows neck

- Weighing range from 0 to1500kg with 0.5kg increments
- Options to use grams, kilograms, ounces and pounds
- Laptop or Computer module (RS 202)
- Automatic zeroing to read true weight of the cow
- 90 hours operation capability by battery
- Low frame for easy entry of the cow
- Entrance Exit doors hydraulic
- Anti-slip rubber floor mat
- Special point to allow inspection vaccination of the cow's back
- Cow's head held by exit doors



# TRACTORCO COMPANY INC


SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **CABINAS MANUAL CATTLE SCALE**



# CABINAS MANUAL CATTLE SCALE PHP 929,200.00\*

#### **FEATURES:**

- Dimension: 100x250x220cm
- Steel frame with maximum design strength of 1400 kg per load
- 4 units IP 68 steel load cell
- LCD Monitor
- Smart dynamic weighing scale to compensate for animal movements during weighing process
- International standard sensitivity
- Chest holding manual
- Rear standing spindle
- Emergency release feature

- Weighing range from 0 to 1500kg. with 0.5kg increments
- Options to use grams, kilograms, ounces and pounds
- Laptop or Computer module (RS 202)
- Automatic zeroing to read true weight of the
- 90 hours operation capability by battery
- Low frame for easy entry of the cow
- Entrance Exit doors manual
- Anti-slip rubber floor mat
- Cows head held by exit doors
- Special point to allow vaccinate into the cows neck



## **CABINAS SURGERY TABLE**



# CABINAS SURGERY TABLE PHP 729,725.00\*

## **FEATURES:**

- Entrance Exit Doors
- 440V Power pack hydraulic power supply
- Stomach tightening straps
- Hydraulic holding
- Mechanical neck strap tightening
- Hydraulic door on surgery location
- Leg fixing strap for easy hooves maintenance



## MINOS AGRI CORN PLANTING MACHINE



PNEUMATIC 2 ROWS CORN PLANTER with Fertilizer Applicator PHP 761,035\*
PNEUMATIC 4 ROWS CORN PLANTER with Fertilizer Applicator PHP 834,361\*

#### **SPECIFICATION:**

TECHNICAL SPECIFICATIONS	T-PNM-2	T-PNM-4	T-PNM-5	T-PNM-6	T-PNM-8
	T-PNM-2-GS	T-PNM-4-GS	T-PNM-5-GS	T-PNM-6-GS	T-PNM-8-GS
No of Rows	2	4	5	6	8
8Frame Width (m)	1.9-2.4	2.4-3.7	2.7-4.7	4.2-5.7	4.2-6.0
Row Spacing (max/cm)	120	90	90	90	70
Row Spacing (min/cm)	45	45	45	45	45
The amount of seed (Lt)	28	28	28	28	28
Capacity of Fertilizer Tank (Lt)	265	265	265	265	265
Weight with Fertilizer Tank (kg)	600	750	850	950	1650
Weight without Fertilizer Tank (kg)	475	625	725	810	1200
Wheel Dimensions	500x15	500x15	500x15	6.5x80x15	500x15
	(15x33.5)	(15x33.5)	(15x33.5)	(15x33.5)	(15x33.5)
Number of Wheels	2	2	2	2	4
PTO Shaft Rotations (max) (min-1)	540	540	540	540	540
Required Tractor Power (hp)	70	80	90	95	100



## **MINOS AGRI HOLE DIGGER**



## T-TB-H HOLE DIGGER PRICE FROM PHP 177,760.00 + VAT

TECHNICAL FEATURES	T-TB H			
Weight (kg)	1	70		
Power Requirements (hp)	7	70		
PTO Shaft (rpm)	5-	40		
Rotation of the gearbox output shaft (rpm)	6	50		
Oil type (lt)	SAE 90- 5 Lt			
DIAMETER (CM)	DEPTH (CM) WORKING CAPACITY			
20	100	80		
30	100 70			
40	100 60			
45	100 50			
50	100 40			



## **MINOS AGRI PIGTAILED CULTIVATORS**



## CULTIVATORS WITH SPIRAL SPRING Php 221,755.60 + VAT

#### **SPECIFICATION:**

TECHNICAL FEATURES	3–SYK-13 (Cultivator with spiral spring)
PRICE	221,755.60*
Working width (cm)	280
Machine weight (kg)	675
Power Requirements (hp)	90
Number tines	13
Chassis height (cm)	75



## **MINOS AGRI CULTIVATORS**



## CULTIVATORS WITH SPRING Php 168,852.00 + VAT

#### SPECIFICATION:

TECHNICAL FEATURES	YKT-29	
	(Cultivator with spring)	
PRICE	168,852.00	
Working width (cm)	335	
Machine weight (kg)	455	
Power Requirements (hp)	75	
Number tines	29	



## **MINOS AGRI CULTIVATOR**



## T-YK-13 CULTIVATOR WITH SWEEPS PHP 141,097.00 + VAT

TECHNICAL SPECIFICATION	T-YK-13
Number of Tines	13
Working Width (cm)	245
Machine Weight (kg)	338
Required Tractor Power (hp)	70-80



## **MINOS AGRI CHISEL PLOUGH**



## **CHISEL PLOUGH**

#### **SPECIFICATION:**

TECHNICAL FEATURES	CZ -7	CZ-9	CZ-11
PRICE	198,667.00	217,756.00	252,500.00
Number of tines	7	9	11
Chassis Height (cm)	75	75	75
Working Width (cm)	210	280	310
Machine Weight (kg)	400	510	590
Power Requirements (hp)	50	70	90



## **MINOS AGRI SUBSOILER**





# SUBSOILERS AND RIPPERS PRICE FROM 95,950.00 + VAT

#### **SPECIFICATION:**

TECHNICAL FEATURES	DK	SDK-3	SDK-5
PRICE	95,950.00	255,530.00	358,853.00
Number of tines		3	5
Types of Tines	Vertical	Vertical	Vertical
Angle of Penetration	30	30	30
Frame Distance (cm)	80	80	80
Working Depth (cm)	40-70	100	100
Working Width (cm)		180	250
Machine Weight(kg)	155	620	850
Furrow Distance (cm)		56-73	56-73
Power Requirements (HP)	55	85- 100	110-130



NEGROS OCCIDENTAL

The Philippines' Leading Farm Machinery Supplier



## MINOS AGRI HEAVY DUTY ROTAVATOR



**T-SR-1400 FIXED ROTAVATOR** 

#### **SPECIFICATION:**

TECHNICAL FEATURES	T-SR-1400	T-SR-1600	T-SR-1850	T-SR-2100	T-SR-2400	T-SR-2500
PRICE	242,198.00	248,864.00	258,863.00	268,862.00	338,350.00	385,517.00
Working width (mm)	1260	1514	1768	2022	2240	2495
Working depth (mm)	220	220	220	220	220	220
Overall width (mm)	1516	1770	2024	2278	2570	2825
Overall length (mm)	850	850	850	850	900	900
Overall Height (mm)	1100	1100	1100	1100	1230	1230
Number of Flanges	6	7	8	9	10	11
Number of Horizontal	30	36	42	48	54	60
blades						
Number of Vertical	36	44	52	60	68	76
Blades (optional)						
Machine Weight (kg)	390	420	455	490	760	850
RPM	540	540	540	540	540	540
Power Requirements	45-50	50-55	55-60	65-70	70-75	75-80



**NEGROS OCCIDENTAL** 

The Philippines' Leading Farm Machinery Supplier



## MINOS AGRI HEAVY DUTY ROTAVATOR



## **HEAVY DUTY ROTAVATOR PRICE FROM 206,646\***

TECHNICAL FEATURES	T-SMR-1100	T-SMR-1600	T-SMR-1750
PRICE	206,646*	227,755*	249,975*
Working Width (mm)	1000	1400	1600
Working Depth (mm)	150	150	150
Overall Width (mm)	1210	1610	1810
Overall Height (mm)	900	900	1000
Number of Flanges	5	7	8
Number of Blades	30	42	48
Machine Weights (kg)	230	260	315
P.T.O Shaft Rotation	540	540	540
Horse Power Requirements (hp)	25	40	45



TRACTORCO COMPANY INC

SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



## **MINOS AGRI HEAVY DUTY ROTAVATOR**



## T-RT-1850 ROTAVATOR WITH PACKER ROLLER PRICE FROM 336,077.50\*

TECHNICAL SPECIFICATION	T-RT-1850	T-RT-2100
PRICE	336,077.50	411,070.00
Working Width (mm)	1768	2022
Working Depth (mm)	190	190
Overall Width (mm)	2024	2278
Overall Length (mm)	1600	1600
Overall Height (mm)	1100	1100
Number of Flanges	8	9
Number of Horizontal Blades	42	48
Number of Vertical Blades	52	60
Machine Weight with Packer Roller	770	830
PTO Shaft Rotation	540	540
Required Horse Power(hp)	65-70	70-75



The Philippines' Leading Farm Machinery Supplier



### **MINOS AGRI HEAVY DUTY ROTAVATOR**



### **MINOS AGRI T-MKR ROTAVATOR**

TECHNICAL FEATURES	T-MKR-1400	T-MKR-1600	T-MKR-1850
	242,198.00	246,421.82	274,743.23
Working Width (mm)	1260	1514	1768
Working depth (mm)	220	220	220
Overall Width (mm)	1516	1770	2024
Overall Length (mm)	850	850	850
Overall Height (mm)	1050	1050	1050
Number of Flanges	6	7	8
Number of Blades	30	36	36
Number of Vertical blades	36	44	44
Machine Weights (kg)	395	415	415
P.T.O Shaft Rotation	540	540	540
Horse Power Requirements (hp)	45-50	50-55	50-55





#### MINOS AGRI LEVELLING BLADE



### **MINOS LEVELLING BLADE TKL220**

PHP 156,651.00\*

#### **SPECIFICATION:**

MODEL	TKL220	TKL240	
PRICE	156,651.00	167,761.00	
Working Width (m)	2.2	2.4	
Minimum Horse Power Required (hp)	50	50	
Weight (kg)	266	279	
Manually Adjustable angle			
3 point linkage			



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



#### **MINOS AGRI ROTARY DRUM MOWER**



MINOS AGRI ROTARY DRUM MOWER FROM PHP 404,404\*

TECHNICAL SPECIFICATIONS	T-TCBM 165
Machine Code (Order Number)	20401204
Working Width (mm)	1630
Transport Width (mm)	1518
Transport Length (mm)	3185
Overall Height (mm)	1075
Number of Drums	2
Number of Blades	6
Optimum Working Speed (km/h)	5-7.5
Capacity (da/h)	6.5-10
Machine Weight (kg)	422
PTO Shaft Rotations (max)(min-1)	540
Required Tractor Power (HP)	40





#### **MINOS AGRI ROTARY SLASHER**





## MINOS AGRI T-TSP SX1800 ROTARY SLASHER PHP 268,862.00\*

#### **SPECIFICATION:**

TECHNICAL SPECIFICATIONS	T-TSP SX1800
Working Width (mm)	1776
Overall Width (mm)	1930
Overall Length (mm)	2120
Overall Height (mm)	980
Number of Blades	3
Capacity (da/h)	12-15
Machine Weight (kg)	410
PTO Shaft Rotations (max)(min-1)	540
Required Tractor Power (HP)	60

<sup>\*</sup>VAT is not included in the prices stated and subject to change anytime without notice.

All prices stated here are ex-works Talisay City Negros Occidental.

\*\*\*COPYRIGHT TRACTORCO COMPANY INC. 2021\*\*\*





#### **AGRI 72 ROTARY MOWER**



MODEL	AGRI 72
Cutting Width	1.8m
HP requirement	50HP
Weight	500kg
Attachment	3 –Point Linkage
Cutting Height	24-114 mm
Cutting Capacity	20 mm
Overall Width	2 m
PTO Speed	540
Protection	Shear Bolt
Blade Carriers	1
Number of Rotors	1
Number of Skids	2

RECONDITIONED AND REPAINTED PHP 198,000.00

#### **ROTARY MOWER**



INIODEL	KOTAKT WIOWEK
Cutting Width	1.2m
HP requirement	35HP
Weight	225kg
Attachment	3 –Point Linkage
Cutting Height	24-114 mm
<b>Cutting Capacity</b>	20 mm
Overall Width	1.60 m
PTO Speed	540
Protection	Shear Bolt
Blade Carriers	1
Number of Rotors	1
Number of Skids	2

ROTARY MOWER

MODEL

RECONDITIONED AND REPAINTED PHP 155,000.00



#### **IMPLEMENTS**



## PHP 378,750.00

- Reconditioned and Repainted
- 32 Discs 24 inches diameter



## MINOS BACK LOADER TWO LIFTING ARMS PHP 155,000.00

- 3 point Linkage
- Manual Fitting bucket
- 2 Lift arms
- 400kg bucket capacity
- 100cm bucket width



SITIO MAMBUKOG, BRGY, ZONE 16, TALISAY CITY

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier

**NEGROS OCCIDENTAL** 



### **TATU MOULDBOARD PLOUGH**



## AAH MOULDBOARD PLOUGH WITH DEPTH CONTROL WHEEL FROM 168,341.75

#### **SPECIFICATION:**

TECHNICAL FEATURES	AAH 2	AAH 3	AAH 4
PRICES	168,342.00	217,934.00	281,139.00
No. of Shanks	2	3	4
Working Width (mm)	900	1300	1800
Spacing (mm)	880	880	880
Clearance	730	730	730
Machine Weight (kg)	316	426	578
Power Requirement	75-85	90-100	105-120
(hp)			







### **TATU DISC PLOUGH**



## AF DISC PLOUGH WITH FURROW CONTROL WHEEL FROM 163,165.50

#### **SPECIFICATION:**

TECHNICAL FEATURES	AF 2	AF 3	AF 4	
PRICES	163,166.00	183,696.00	212,972.00	
No. of Disc	2	3	4	
Disc Dimension	26 inches x 6mm	26 inches x 6mm	26 inches x 6mm	
Working Width (mm)	550-650	800-920	1020-1230	
Spacing (mm)	570	570	570	
Machine Weight (kg)	334	426	500	
Power Requirement	45-50	60-70	80-95	
(hp)				



## **CIVEMASA COMPOST TURNER**



### **COMPOST TURNER CRO 4.0**

PRICE PHP 2,405,820\*

#### **TECHNICAL SPECIFICATION:**

MODEL	WIDTH (mm)	HEIGHT (mm)	LENGTH (mm)	WEIGHT with extra weight	WEIGHT without weight
				(kg)	(kg)
CRO 4.0	6785	1750	4785	8280	2960



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045

The Philippines' Leading Farm Machinery Supplier



#### **TAC-10500 SUGAR CANE HIGH TIP TRAILER**





PHP 2,842,000.00

#### **SPECIFICATION:**

Loading Capacity	24 m <sup>3</sup> /10 tons
Titling height	4500 mm
Loading height	3550 mm
Overall width	3380 mm
Overall length	6573 mm
Weight	9793 kg
Wheel gauge	2800 m

<sup>\*</sup>VAT is not included in the prices stated and subject to change anytime without notice.

All prices stated here are ex-works Talisay City Negros Occidental.



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



#### **TAJFUN-LOGGING WINCHES**





#### **LOGGING WINCHES**

#### **SPECIFICATION:**

TYPE	EGV35 A	EGV45 A	EGV55 A	EGV65 A	EGV 85 A	EGV105	DGV 2X55
						AHK	AHK
PRICE		487,618.00*			805,980.00*		
Pulling Power	35kn	45kn	55kn	65kn	85kn	100kn	2x55kn
Brake Power	44kn	56kn	69kn	81kn	106kn	125kn	69kn
Gear Ratio	1:7.5	1:8.89	1:8.89	1:10,80	1:10,66	1:2,1	1:9,06
Required Power	54hp	40-74hp	47-80hp	54-94hp	67-134hp	107hp	67-107hp
Width	1210mm	1400mm	1500mm	1660mm	1800mm	1940mm	1980mm
Length	489mm	525mm	565mm	670mm	680mm	782mm	650mm
Height w/o Wire Guard	1195mm	1260mm	1510mm	1660mm	1710mm	1925mm	1630mm
Height for Transport	1266mm	1361mm	1600mm	1729mm	1780mm	1913mm	1707mm
Overall Height H2	2000mm	2300mm	2300mm	2300mm	2300mm	2300mm	2300mm
Weight	240kg	330kg	345kg	515kg	570kg	800kg	690kg
Mounting	1,11	1,11	1,11	11,111	11,111	111	11,111
Bottom pulley	S	S	S	S	S	S	S
Coupling	S	S	S	S	S	S	х
Differential Brake Band	S	S	S	S	S	S	S
Radio Remote Control	X	X	Х	X	х	0	0
Powered Upper Pulley	Х	Х	Х	Х	Х	0	0



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



### SICO PAY LOADER/FORKLIFT



### PHP 892,133\*

#### **SPECIFICATION:**

	1
Overall weight	2000kg
Lifting Capacity	800kg
Rated bucket capacity	0.3m <sup>3</sup>
Rated load	1000kg
Dump height	2250mm
Dump distance	1000mm
Wheelbase	1750mm
Thread	1160mm
Engine	3 cylinder
Type	4WD
Required power	40hp
Steering	Articulated hydraulic steering
Tires	31 x 15.50
Max. turning angle	35°± 1
Min turning radius	3400mm
Joystick controls	For easy operation



**NEGROS OCCIDENTAL** 

TEL. NO: (+63) 34 495-2288 / 0928-5030045 The Philippines' Leading Farm Machinery Supplier











## **CANE LOADER (13 FT)** PHP 656,500.00

#### **SPECIFICATION:**

- Lifting Capacity 400kg
- Attached on a 4 cylinder FORD Tractor
- **Hydraulicaly Operated**



#### **MASSEY FERGUSON 699 4WD WITH CANE LOADER**



Reconditioned Massey Ferguson 699 4WD without sun	1,438,745.00
canopy and front weights	
Optional extras:	
Sun Canopy	49,500.00
Set of Front weights	49,500.00
Top Center Link	6,500.00
Reconditioned quick detach power loader frame	378,750.00
Grabber	277,750.00
Fitting on customer tractor	60,000.00
2 Slice of spool valve to work on cane loader	60,000.00



### Massey Ferguson 699 4WD 100HP with front bucket loader

#### **Reconditioned and Repainted**



DESCRIPTION	TOTAL PRICE
Unit of Massey Ferguson 699 4WD with Top center link set	
- 100 horse power	
- 6-cylinder perkins engine	1 445 100 00
- Power steering	1,445,189.00
- 13" heavy duty clutch	
- New front and rear tires	
Front Bucket Loader to fit on MF 699	375,000.00
Spool valve for the cane loader	60,000.00
OPTIONAL EXTRAS ON THE TRACTOR	
Sun Canopy	49,500.00
Set of front weight	49,500.00



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier





## LS PLUS 100 4WD 105HP WITH LL7101 LOADER GRABBER

### PHP 3,112,750.00

- 2 Years Warranty
- 105 horse power turbo charged engine
- Fuel Efficent 7% less than leading technology
- MWM 4 cylinder engine, a German technology
- Made in Brazil- high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- Separate cylinder head for easy servicing
- 63.2 liters hydraulic flow capacity
- Heavy duty ZF front axle- proven reliability
- 20 forward & 20 reverse super shuttle gearbox
- Super creeper gearbox (runs 250meters/hour)
- 540,750 & 1000 RPM settings on PTO
- Forward & reverse shuttle lever, ideal for loading
- All-wheel braking for added safety
- Front and rear weights included

FRONT LOADER MODEL	LL7101
Capacity of Grabber (kg)	250
Maximum Lift Height (mm)	3466
Reverse Tilt Maximum Angle	
(degrees)	47
Reverse Tilt Angle (degrees)	50
Depth of excavation below level	
(mm)	127
Total weight of the charger (kg)	900
Nominal Flow of tractor system	
(I/min)	36.8/50.6
Accessory width (mm)	1981
Accessory capacity (cubic meter)	0.63



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier





# LS PLUS 90 4WD 90HP WITH LL7101 LOADER GRABBER PHP 2,931,750.00

- 2 Years Warranty
- 90 horse power turbo charged engine
- Fuel Efficent 7% less than leading technology
- MWM 4 cylinder engine, a German technology
- Made in Brazil-high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- Separate cylinder head for easy servicing
- 63.2 liters hydraulic flow capacity
- Heavy duty ZF front axle proven reliability
- 20 forward & 20 reverse super shuttle gearbox
- Super creeper gearbox (runs 250meters/hour)
- 540,750 & 1000 RPM settings on PTO
- Has Forward & reverse shuttle lever ideal for loading
- All-wheel braking for added safety
- Front and rear weights included

FRONT LOADER MODEL	LL7101
Capacity of Grabber (kg)	250
Maximum Lift Height (mm)	3466
Reverse Tilt Maximum Angle (degrees)	47
Reverse Tilt Angle (degrees)	50
Depth of excavation below level (mm)	127
Total weight of the charger (kg)	900
Nominal Flow of tractor system (I/min)	36.8/50.6
Accessory width (mm)	1981
Accessory capacity (cubic meter)	0.63



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier





# LS PLUS 80 4WD 80HP WITH LL7101 LOADER GRABBER PHP 2,895,750.00

- 2 Years Warranty
- 80 horse power
- Fuel Efficent 7% less than leading technology
- MWM 4 cylinder engine, German technology
- Made in Brazil- high quality
- Parts readily available at TRACTORCO
- Quick After Sales Service around the Philippines
- Separate cylinder head for easy servicing
- 63.2 liters hydraulic flow capacity
- Heavy duty ZF front axle proven reliability
- 20 forward & 20 reverse super shuttle gearbox
- Super creeper gearbox (runs 250meters/hour)
- 540,750 & 1000 RPM settings on PTO
- Forward & reverse shuttle lever ideal for loading
- All-wheel braking for added safety
- Front and rear weights included

FRONT LOADER MODEL	LL7101
Capacity of Grabber (kg)	250
Maximum Lift Height (mm)	3466
Reverse Tilt Maximum Angle (degrees)	47
Reverse Tilt Angle (degrees)	50
Depth of excavation below level (mm)	127
Total weight of the charger (kg)	900
Nominal Flow of tractor system (I/min)	36.8/50.6
Accessory width (mm)	1981
Accessory capacity (cubic meter)	0.63





## PRICE 1,156,450.00\*


#### **TECHNICAL SPECIFICATION:**

- Made in Slovenia, Europe
- 360 degrees rotation for loading
- Grab has its own rotator so each bundle can be exactly positioned onto the truck
- 7.1 meters reach to load biggest truck
- Loads 250kg per grab
- Fits to any tractor at least 80hp with standard 3 point linkage
- High capacity PTO driven pump for fast loading
- Totally independent hydraulic system with its own tank, pump oil, oil cooler and controls
- Hydraulic folding legs for total stability on uneven terrain
- High quality welding and manufacture
- Folds compactly for fast transport
- Flexible and affordable



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045











### SUGAR CANE LOADER

PRICE : PHP 3, 255,230\*

#### **SPECIFICATION:**

- Lifting capacity 400 800kg
- Possibility to load 10 tonne truck in less than 10 minutes
- Base unit Massey Ferguson 699 4WD fully reconditioned 100 horsepower Perkins engine which is proven fuel efficient and reliable
- Boom turns 360 degrees so it can load on both sides
- Wide twin wheels which allow it to work on slopes and in wet Philippine conditions without causing compaction to the soil or loss of stability
- Can be adapted to lift logs or cane trash with a different type of grab fitted
- Front tire size 16.9 x 38, new
- Rear tire size 13.6 x 28, new



SITIO MAMBUKOG, BRGY. ZONE 16, TALISAY CITY
NEGROS OCCIDENTAL

TEL. NO: (+63) 34 495-2288 / 0928-5030045
The Philippines' Leading Farm Machinery Supplier



#### **PARTS**

We offer a wide range of high quality tractor parts imported from the UK at competitive prices e.g.

- · Engine Rebuild Kits
- · Fuel & Cooling System parts
- · Front Axle & Steering parts
- · Clutch & Brake parts
- · Transmission & PTO parts
- · Hydraulic parts
- · Rear Axles & Linkages
- · Electrical parts
- · Body Panels









#### **REPAIR & FIELD SERVICES**

Our skilled technicians can recondition and repair your tractors and machinery in our fully equipped workshop. We can also undertake field servicing.



